


B Bulkquip Pty Ltd

ABN: 35 139 258 816

Bulkquip Pty Ltd is the authorized NSW/ACT state distributor for the WAMGROUP and OLI Australia ranges of Materials Handling Equipment.

Full technical back up from WAM Australia and OLI Australia.



Stock includes - Replacement Filter Media, valves - including Butterfly, Slide and Rotary, Electric Vibrators. Pneumatic Vibrators, Aerators, Silo and Bin Vents.

For local assistance, technical support and application assistance, contact:

Graham Boyd

Bulkquip Pty Ltd

P: 1300 026 011

E: graham@bulkquip.com.au

- Cement production & batching plants
- Mining & processing plants
- Municipal waste plants
- Waste water treatment plants
- Quarrying, crushing & screening plants
- Lime, PAC & flocculent dosing plants
- Silo storage & powder/granule metering
- Bulk bag loading & unloading plants
- Automated small bag breaking plants
- Horticultural & agricultural facilities
- Grain & fodder processing plants
- Screw conveyors & dosing systems
- Actuators, valves & isolation devices
- Feeders & metering equipment
- Flow control mechanisms
- Mixers, blenders & conditioners
- Solid/liquid separation equipment
- Electric & pneumatic vibrators
- Aerators & flow promotion equipment

ACTUATORS

Manual, Electro Pneumatic, Pneumatic, Gear Motor actuators for control of your process.



CONVEYORS

Screw Conveyors to suite a large range of applications.



DUST COLLECTORS

Dust Collectors, Bin Vents, replacement filter media.



METERING & FEEDING

Loss in weight, deflection flow, volumetric & weigh belt feeders.




SEPARATION & RECYCLING

Grit separation, De watering, wet concrete recycling, E Waste recycling, solids & liquids separation.



MATERIAL DISCHARGE

Bin, hopper & silo discharge, bag opening equipment for the continuous flow of your material.



VIBRATORS

External pneumatic/electric, internal/external, high frequency vibrators, bin hammers & fluidization.



ELECTRONIC HIGH FREQUENCY CONCRETE VIBRATOR



EWO

- Needle diameter 36mm, 50mm, 60 mm
- 2 bearings
- Protection on the needle IP 68

EWO-P

- Needle diameter 50mm, 57mm, 65mm
- 4 bearings
- Protection on the needle IP 68
- Suitable for heavy duty use & large areas

CUSTOMERS

- Builders
- Concrete Contractors
- Precast Manufacturers
- Civil Engineers
- Bridge Builders

ELECTRONIC CONVERTER

- Tropicalised & resined electronic board
- Start and stop
- Protection on the board IP 68

PROTECTIONS

- Shortcircuit
- Overload
- Higher & lower tension
- Overtemperature

ADVANTAGES

- Available on Stock
- High Reliability
- High Performance
- No Maintenance
- Easy to Handle